

| NPN DEVICE | CASE | BREAKDOWN VOLTAGES | | | h _{FE} | | | | SAT. VOLTAGES (Max.) | | | |
|---------------|--------|-----------------------|-----------------|-----------------|------------------------|-----------------------|------|------|-----------------------|-----------------------|------------------------|------------------------|
| | | V _{CB} | V _{CE} | V _{EB} | V _{CE} (V) | I _C (A) | Min. | Max. | I _C (A) | I _B (A) | V _{CE} (V) | V _{BE} (V) |
| 2N2106 | TO-5 | 60 | 60 | 8 | 10 | 0.2 | 12 | 36 | 0.2 | 0.04 | 5 | 3 |
| 2N2107 | TO-5 | 60 | 60 | 8 | 10 | 0.2 | 30 | 90 | 0.2 | 0.04 | 2 | 2 |
| 2N2108 | TO-5 | 66 | 60 | 8 | 10 | 0.2 | 75 | 200 | 0.2 | 0.01 | 2 | 2 |
| 2N2150 | TO-111 | 125 | 80 | 8 | 5 | 1 | 20 | 60 | 1 | 0.1 | 1.25 | 2 |
| 2N2151 | TO-111 | 125 | 80 | 8 | 5 | 1 | 40 | 120 | 1 | 0.1 | 1.25 | 2 |
| 2N2657 | TO-5 | 80 | 60 | 8 | 2 | 1 | 40 | 120 | 1 | 0.1 | 0.5 | 2 |
| 2N2658 | TO-5 | 100 | 80 | 8 | 2 | 1 | 40 | 120 | 1 | 0.1 | 0.5 | 2 |
| 2N2726 | TO-5 | 200 | 150 | 10 | 10 | 0.2 | 30 | 90 | 0.2 | 0.04 | 2 | 3 |
| 2N2727 | TO-5 | 200 | 150 | 10 | 10 | 0.2 | 75 | 150 | 0.2 | 0.04 | 2 | 3 |
| 2N2779 | TO-63 | 250 | 250 | 15 | 4 | 25 | 10 | | 25 | 5 | 1.5 | 3 |
| 2N2780 | TO-63 | 300 | 300 | 15 | 4 | 25 | 10 | | 25 | 5 | 1.5 | 3 |
| 2N2811 | TO-61 | 80 | 60 | 8 | 5 | 5 | 20 | 60 | 5 | 0.5 | 0.5 | 1 |
| 2N2812 | TO-61 | 80 | 60 | 8 | 5 | 5 | 40 | 120 | 5 | 0.5 | 0.5 | 1 |
| 2N2813 | TO-61 | 120 | 80 | 8 | 5 | 5 | 20 | 60 | 5 | 0.5 | 0.5 | 1 |
| 2N2814 | TO-61 | 120 | 80 | 8 | 5 | 5 | 40 | 120 | 5 | 0.5 | 0.5 | 1 |
| 2N2876 | TO-60 | 80 | 60 | 4 | 5 | 2.5 | 5 | | 2.5 | | | |
| 2N2877 | TO-111 | 80 | 60 | 8 | 2 | 1 | 20 | 60 | 1 | 0.1 | 0.25 | 1 |
| 2N2878 | TO-111 | 80 | 60 | 8 | 2 | 1 | 40 | 120 | 1 | 0.1 | 0.25 | 1 |
| 2N2879 | TO-111 | 100 | 80 | 8 | 2 | 1 | 20 | 60 | 1 | 0.1 | 0.25 | 1 |
| 2N2880 | TO-111 | 100 | 80 | 8 | 2 | 1 | 40 | 120 | 1 | 0.1 | 0.25 | 1 |
| 2N2890 | TO-5 | 100 | 80 | 5 | 2 | 1 | 30 | 90 | 1 | 0.2 | 0.75 | 1 |
| 2N2891 | TO-5 | 100 | 80 | 5 | 2 | 1 | 50 | 150 | 1 | 0.2 | 0.75 | 1 |
| 2N2892 | TO-111 | 100 | 80 | 5 | 2 | 1 | 30 | 90 | 1 | 0.2 | 0.75 | 1 |
| 2N2893 | TO-111 | 100 | 80 | 50 | 2 | 1 | 50 | 150 | 1 | 0.2 | 0.75 | 1 |
| 2N2983 | TO-5 | 150 | 80 | 8 | 5 | 0.5 | 20 | 60 | 0.5 | 0.1 | 0.6 | 1 |
| 2N2984 | TO-5 | 185 | 120 | 8 | 5 | 1 | 20 | 60 | 1 | 0.4 | 1.25 | 2 |
| 2N2985 | TO-5 | 150 | 80 | 8 | 5 | 1 | 40 | 120 | 1 | 0.4 | 1.25 | 2 |
| 2N2986 | TO-5 | 185 | 120 | 8 | 5 | 1 | 40 | 120 | 1 | 0.4 | 1.25 | 2 |
| 2N2987 | TO-5 | 95 | 80 | 7 | 5 | 0.2 | 25 | 75 | 0.2 | 0.02 | 0.8 | 1 |
| 2N2988 | TO-5 | 155 | 100 | 7 | 5 | 0.2 | 25 | 75 | 0.2 | 0.02 | 0.8 | 1 |
| 2N2989 | TO-5 | 95 | 80 | 7 | 5 | 0.2 | 60 | 120 | 0.2 | 0.02 | 0.8 | 1 |
| 2N2990 | TO-5 | 155 | 100 | 8 | 5 | 0.2 | 60 | 120 | 0.2 | 0.02 | 0.8 | 1 |



